




## Cble / fil de thermocouple paires plates isolés PTFE Type T (IEC) - brin de 1/0,315 mm



Labfacility are the UK's leading manufacturer of Temperature Sensors, Thermocouple Connectors and associated Temperature Instrumentation and stockings of Thermocouple Cables. The Company has been trading since 1971 and is ISO9001 accredited.

**Cble / fil de thermocouple isol paires plates PTFE de type T (IEC)**

Paire plate isole en PTFE. Le PTFE possde une bonne rsistance mcanique et une bonne flexibilit, rsistant aux huiles, acides et autres fluides adverses.

**Caractristiques techniques**
**Specifications**

|  |   |
|--|---|
| <b>General Description</b>                                   | Resistant to oils, acids adverse agents and fluids. Good mechanical strength and flexibility. |
| <b>Cable Length</b>  | 10m, 25m, 50m, 100m   |
| <b>Cable Type</b>  | Flat pair cable   |
| <b>Core / Strands</b>  | 1/0.315mm   |
| <b>Conductor Cross Section<br/>1/0.315 (mm<sup>2</sup>)</b>  | 0.078   |
| <b>Outer Colour</b>  | Brown   |
| <b>+ Colour</b>  | Brown   |
| <b>- Colour</b>  | White   |
| <b>Drain Wire</b>  | No  |
| <b>Insulation Material</b>                                   | PTFE insulated  |
| <b>Loop Resistance 1/0.315 (Ohms<br/>per combined metre)</b> | 6.5   |
| <b>Max. Temperature</b>                                      | +260°C  |
| <b>Min. Temperature</b>                                      | -75°C   |
| <b>+ Conductor</b>   | Copper  |



|                          |   |
|--------------------------|---|
| <b>- Conductor</b>       | Constantan                                |
| <b>Screen</b>            | No  |
| <b>Standards Met</b>     | Colour code (cores & jacket) to IEC-584-3 |
| <b>Thermocouple Type</b> | T   |
| <b>Tolerance</b>         | Class 1                                   |