Kit de course professionnel 3 avec sonde de pneu rglable et jauge numrique premium







Labfacility are the UK's leading manufacturer of Temperature Sensors, Thermocouple Connectors and associated Temperature Instrumentation and stockings of Thermocouple Cables. The Company has been trading since 1971 and is ISO9001 accredited.

LABFACILITY
TEMPERATURE & PROCESS TECHNOLOGY

Datasheet

Kit de course professionnel 3

Comprend une sonde de pneu de course rglable, un posemtre numrique de qualit suprieure et un tui de transport souple

Sonde de pneu

Cette sonde de pneu de course trs rapide rponse dispose dun rglage manuel de la profondeur de 1 mm 15 mm

Une plage de temprature de -50 +250C

Type de jonction : Mise la terre

Un temps de rponse infrieur 0,5 seconde

quip dun cble enroul de 1 m et dune mini-prise

Peut tre utilis avec nimporte quel type de thermomtre numrique K avec une mini-prise dentre

Thermomtre industriel Therma 1 (Type K)

Le Therma 1 dispose de grands crans LCD faciles lire avec circuit ouvert Err et une indication de batterie faible. Chaque thermomtre est aliment par trois piles AAA de 1,5 volt qui offrent une autonomie minimale de cinq ans. Les units steignent automatiquement aprs dix minutes, maximisant ainsi lautonomie de la batterie. Cette fonctionnalit peut tre dsactive par lutilisateur, si ncessaire.

Type : Thermomtre numrique industriel

Type de thermocouple : Type K

Prcision : 0,4C 0,1 %

Entre / Plages : 0,1C -99,9 299,9C. 1C 300 1372C

Rsolution de laffichage des donnes : 0,1C & 1C

Dimensions : 25 x 56 x 128 mm

Alimentation : Batterie 3 x AAA 1,5 volt. Dure de vie de la batterie : 10 000 heures/min 5 ans

Type de capteur : Thermocouple miniature de type K

Poids : 130 grammes

Specifications

Product Code	XE-KITRACE3
General Description	Includes adjustable racing tyre probe, premium quality digital meter and soft carry case

Sensor Type	Junction Type: Grounded
Thermocouple Type	Type K
Probe Diameter	manual depth adjustment from 1 mm to 15 mm
Cable Length	1M
Cable Type	Coiled lead
Cable Termination	Miniature Plug
Max. Temperature	+250°C
Min. Temperature	-50°C
Digital Thermometer	Type: Industrial Digital Thermometer Thermocouple Type: Type K Accuracy: ±0.4°C ±0.1% Input / Ranges: 0.1°C -99.9 to 299.9°C. 1°C 300 to 1372°C Resolution of data display: 0.1°C & 1°C Dimensions: 25 x 56 x 128mm Power Supply: Battery 3 x 1.5 volt AAA. Battery life 10000 hours/min 5 years Sensor Type: Sensor type K miniature thermocouple Weight: 130 grams