




LABFACILITY

TEMPERATURE & PROCESS TECHNOLOGY

Cble / fil de thermocouple paires plates PTFE Type T IEC - brin de 7/0,2 mm



Labfacility are the UK's leading manufacturer of Temperature Sensors, Thermocouple Connectors and associated Temperature Instrumentation and stockings of Thermocouple Cables. The Company has been trading since 1971 and is ISO9001 accredited.

Cble / fil de thermocouple isol paires plates PTFE de type T (IEC)

Paire plate isole en PTFE. Le PTFE possde une bonne rsistance mcanique et une bonne flexibilit, rsistant aux huiles, acides et autres fluides adverses.

Caractristiques techniques

Specifications

General Description	Resistant to oils, acids adverse agents and fluids. Good mechanical strength and flexibility.
Cable Length	10m, 25m, 50m, 100m, 200m
Cable Type	Flat pair cable
Core / Strands	7/0.2mm
Conductor Cross Section 7/0.2 (mm²)	0.219
Outer Colour	Brown
+ Colour	Brown
- Colour	White
Drain Wire	No
Insulation Material	PTFE Insulated
Loop Resistance 7/0.2 (Ohms per combined metre)	2.3
Max. Temperature	260°C
Min. Temperature	-75°C
+ Conductor	Copper
- Conductor	Constantan



LABFACILITY

TEMPERATURE & PROCESS TECHNOLOGY

Screen	No
Standards Met	Colour code (cores & jacket) to IEC-584-3
Thermocouple Type	T
Tolerance	Class 1