



Cble / fil thermocouple tamis en mylar isol en PVC Type J (IEC)



Labfacility are the UK's leading manufacturer of Temperature Sensors, Thermocouple Connectors and associated Temperature Instrumentation and stockings of Thermocouple Cables. The Company has been trading since 1971 and is ISO9001 accredited.

Cble / fil thermocouple tamis en mylar isol en PVC Type J (IEC)

Le cble compensateur ressemble la caractéristique thermoelectrique du thermocouple concern sur une plage de temprature ambiante limite, typiquement de 0 80C. Comme ces cbles sont fabriqués partir de matriaux faible cot, des conomies peuvent tre ralises lors des installations usine compares l'installation dun vritable cble d'extension thermocouple.

Caractéristiques techniques
Specifications

General Description	Good general purpose insulation for 'light' environments. Waterproof and very flexible.
Cable Length	10, 25, 50, 100m
Cable Type	Twisted cores & screened construction for reduced electrical noise
Core / Strands	7/0.2mm
Conductor Cross Section 7/0.2 (mm²)	0.219
Outer Colour	Black
+ Colour	Black
- Colour	White
Drain Wire	Yes
Insulation Material	PVC Insulated with a mylar screen
Loop Resistance 7/0.2 (Ohms per combined metre)	2.7
Max. Temperature	+105°C
Min. Temperature	-10°C

+ Conductor	Iron
- Conductor	Constantan
Screen	Yes
Screen Type	Mylar
Standards Met	Colour code (cores & jacket) to IEC-584-3
Thermocouple Type	J
Tolerance	Class 2